

Suitable for everyone's needs but still unique.

Day-to-day business is becoming increasingly more dynamic and more mobile. The use of smartphones, tablets and cloud services is common in many areas and is also standard for our innovative 2508ci and 3508ci A3 colour multifunctional systems. They print at speeds of 25 and 35 A4 pages per minute, respectively – in both colour and black and white. Whether you are looking to print documents or photos from your mobile device or scan and save from the multifunctional system directly to your mobile device, there are virtually no limitations. With just one click and without a computer, you can scan to the cloud and print the saved documents from the HyPAS[™]-compatible multifunctional system without any problems.

HIGHLIGHTS:

Versatile: Process different formats (AGR-SRA3) and paper weights (52–300 g/m²) and adapt your multifunctional system according to your processes and needs. Everything from a space-saving internal 500-page finisher to a dual scanner with an ultrasonic sensor for high-speed digitalisation is available for you. This system also makes it easier for you to digitalise and store documents. 16 small documents, such as receipts or business cards can be placed on the platen glass and then scanned, straightened and saved separately as JPG images or a PDF one after the other in one go.

New possibilities: The UTAX Capture Manager* helps structure the many different document sources. The software solution handles the collection, processing, distribution and storage of documents, such as invoices, delivery notes, tables and price lists. Invoices and delivery notes are automatically recognised and indexed. In addition, all information can be filtered with the help of text, character and barcode recognition and documents can be searched through accordingly.

Completely accessible: Accessibility options are very important to us and we are constantly working on optimising them, such as the tilting touch panel with intuitive menu navigation, for example. Different signal tones give you information on how the system is running and its current status. Large LED displays show documents or faxes in the job separator*. The free-to-use My Panel application allows you to operate the multifunctional system using a mobile device or map alternative basic functions using voice activation.

Play it safe: A standard feature of the system is overwriting and deleting print, scan and copy data multiple times. The USB card reader* provides additional security in terms of your personal print data by verifying your identity to the multifunctional system using a contactless card or transponder. Logging-in with a smartphone using Bluetooth is also an option. These card readers automatically allocate your e-mail address and management code to you. As a result, you can immediately access and print your documents saved in the queue.



DIGITAL 🥶 🗣 🗢 🌢 MULTIFUNCTIONAL COLOUR SYSTEM

2508ci / 3508ci

Copy / Print / Scan / Fax A3

optional

2508ci / 3508ci

TECHNICAL DATA

NI	NFR	NFRA

GENERAL	
Туре	Desktop
Function	Copy, print, scan, optional: fax
Print technology	Laser colour and b/w
Original format	max A3 from platen glass
Copy/print speed	2508ci: max 25 A4 pages/min and max 12 A3 pages/min in colour and b/w
	3508ci: max 35 A4 pages/min and max 17 A3 pages/min in colour and b/w
1st page (Print/Copy)	Colour: 9.2/ 8.5 seconds*, b/w: 7.0/ 6.4 seconds* (2508ci), Colour: 7.7/7.0 seconds*, b/w: 5.9/5.3 seconds* (3508ci)
Warm-up time	18 seconds
Copy resolution	600 x 600 dpi
Greyscales	256
Paper feed	2 x 500 sheet universal cassettes (cassette 1: AGR-A4, cassette 2: AGR-SRA3 (320 x 450 mm)), 150 sheet multi-bypass (AGR-SRA3, Banner (305 x 1,219 mm)), SRA3 and banner only for printing
Paper weights	Universal cassette 52-300 g/m², multibypass 52-300 g/m², duplex 64-256 g/m²
Paper output	500 sheet A4
System memory	4 GB RAM, 32 GB SSD/optional: 320 GB or 1 TB HDD**
Continuous copying	1-9,999 copies
Zoom	25 %-400 % in steps of 1 %
Functions	Adjustable colour touch screen (10.1 inch), duplex, 1,000 management codes, skip blank pages, motion sensor, encryption/ overwriting of hard disk data (Data Security Kit), secure boot, run time integrity check, trusted platform modul (TPM), S/MIME etc.
DIMENSIONS/W	EIGHT
Dimensions	790 x 602 x 665 mm (H x W x D)
Weight	approx. 90 kg
ENVIRONMENT	
Mains voltage	220/240 V, 50/60 Hz
Power consumption	approx. 1/50 W max, approx. 425/520 W in operation (2508ci/3508ci), approx. 40 W in stand-by mode, approx. 0.5 W in sleep mode, TEC value: 0.31/0.44 KWh/ week (2508ci/3508ci)
Noise level	2508ci: approx. 48.0 dB(A)/47.3 dB(A) in operation (colour / b/w-mode), stand-by
	mode: 31.4 dB(A) (ISO 7779/9296)
	mode: 31.4 dB(A) (ISO 7779/9296) 3508ci: approx. 49.0 dB(A)/47.7 dB(A) in operation (colour / b/w-mode), stand-by mode: 31.3 dB(A) (ISO 7779/9296)

PRINT SYSTEM

r anti Storem	
Туре	Integrated within the system
Print format	AGR-SRA3
Print resolution	600 x 600 dpi, max 1,200 x 1,200 dpi
Processor	ARM A53 1.6GHz
Interfaces	USB 3.0, USB-Host(4), Gigabit-Ethernet (10/100/1000BaseTX), SD-Card Slot
Network protocols	TCP/IP, Net BEUI
Operating systems	Windows 7/8.1/10, Server 2008/2008 R2/2012/2012 R2/2016/2019, Novell NetWare***, Linux, Mac ex OS 10.9
Emulations	PCL6 (5e, XL), KPDL 3 (PostScript 3 compatible), XPS, PDF 2.0, PRESCRIBE IIc
Functions	USB direct printing, PDF/XPS direct printing, super resolution imaging, SNMPv3, printing of e-mails, private printing, EcoPrint, barcode printing, Mobile Print (Android/iOS)/Apple AirPrint, NFC, Wi-Fi Direct***
SCAN SYSTEM	
Scan type	CCD colour and b/w
Scan format	max A3
Scan speed	max 100 (simplex) or 200 (duplex) A4 originals/min in colour and b/w with DP- 7170 (300 dpi)
Scan resolution	200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan mode	Photo, text, photo/text, optimised for OCR
File types	TIFF, PDF, PDF/A, high compression PDF, encrypted PDF, JPEG, XPS, Open XPS
Interface	10/100/1000BaseTX
Network protocol	TCP/IP
Operating systems	Windows 7/8.1/10, Server 2008/2008 R2/2012/2012 R2/2016/2019
Functions	Scan to SMB, scan to e-mail, scan to FTP, scan to USB, TWAIN scan, WIA scan, SMTP authentication, LDAP, Multiple cropping
OPTIONAL FAX 9	SYSTEM 12
Compatibility	Super G3
Original format	max A3
Modem speed	33.6 kbps
Transmission speed	3 seconds or less using JBIG
Compression method	JBIG, MMR, MR, MH
Fax resolution	Standard (200 x 100 dpi), fine (200 x 200 dpi), super fine (200 x 400 dpi), ultra fine (400 x 400 dpi), 600 x 600 dpi
Fax memory	170 MB
Abbreviated dial	2,000 numbers
One touch dial	1,000 numbers

500 numbers Windows 7/8.1/10, Server 2008/2008 R2/2012/2012 R2/2016/2019 **Operating systems** Network fax driver, automatic redialling, delayed transmission, max 2 fax kits for parallel transmission and reception

IF IT WORX, IT'S UTAX

OPTIONS		
Original feeder	DP-7140 document processor with automatic reverse function (ASR-A3, capacity: 50 sheet A4, paper weight 45- 160 g/m ²). DP-7150 document processor with automatic reverse function (A6R-A3, capacity: 140 sheet A4, paper weight 35-160 g/m ²). DP-7100 document processor with simultaneous duplex scanning (A6R-A3, capacity: 320 sheet A4, paper weight 35-220 g/m ²). DP-710 document processor with simultaneous duplex scanning and multi-feed detection (A6R-A3, capacity: 320 sheet A4, paper weight 35-220 g/m ²)	
Platen cover	Platen cover type E (if document processor is not installed)	
Finisher	DF-7100 internal finisher (capacity: 500 sheet A4, stapling max 50 sheet A4), DF-7120 (capacity: 1000 sheet A4, stapling max 50 sheet A4), DF-7140 (capacity: 4,000 sheet A4, stapling max 65 sheet A4), PH-7120 hole punch unit for DF-7100, PH-7C hole punch unit for DF-7120/7140, BF-730 brochure module for DF-7140 (max 20 sheet saddle stitching and folding A4/A3, tri-folding max 5 sheet A4), MT-730 (B) multi tray for DF-7140	
Job Separator	JS-7100 (100 sheet, 52-300 g/m², A6R - SRA3), JS-7110 inner shift tray (250 sheet, 52-300 g/m², A6R - SRA3)	
Paper feed	PF-7140 (2 x 500 sheet universal cassettes [A5R-SRA3]), PF-7150 (2 x 1,500 sheet large capacity cassette [A4]), PF-7120 (3,000 sheet large capacity tray [A4], side deck)	
Other options	Scan extension kit (A). Internet fax kit (A). Card authentication kit(B), Keyboard holder 10, Banner guide 10, UG-33 ThinPrint® kit, UG-34 Emulation option kit, IB-50 Gigabit Ethernet card. IB-51 WLAN card (IEEE802.11/b/g/n), IB-37 WLAN card (IEEE802.11a/b/g/n/ac, Wi-Fi direct) or IB-38 WLAN**** card (IEEE 802.11 b/g/n Wi-Fi direct), DT-730 (B) Document tray, NK-7120 Numeric Keyboard (ID keys), cabinet no. 81, HD-16 (2020 GB HDD**), HD-16 (1 TB HDD**)	
* Depending on operating status		

** For copy, print, scan, fax

*** optional

Your UTAX-dealer

*** IB-38 is only available for selected countries outside the EU that do not support the IB-37

Specifications subject to change without notice.

Image shows machine with optional accessories.

UTAX has been a trade mark for professional office technology since 1961. As the partner of a German wide dealer network and international distribution, we are specialised in the distribution and integration of printing, copying and multifunctional systems in corporate IT and public sector, amongst others. With the MDS solution UTAX smart for example, output systems can be controlled regardless of the manufacturer and the infrastructure can be optimised in line with demands. UTAX recommends the use of original UTAX accessories for trouble-free operation of your system. For recommended print media refer to the user manual. UTAX and the UTAX logo are registered trade marks of TA Triumph-Adler GmbH. All other brand names referred to are registered trade marks of the respective manufacturers.



Group dial

Functions



HyPAS[®]



